



# SPYDER<sup>®</sup>

HALF THE SIZE. HALF THE WEIGHT.  
**ALL THE POWER.**

## 2025

PRESSURE WASHER CATALOGUE





POWERPLAY



SPYDER

2100 PSI . 1.5 GPM





# PRESSURE WASHERS

## ELECTRIC PRESSURE WASHERS

### SPYDER®MINI™

SPYM1500VC	8
SPYM1700VC	9
SPYM1900VC	10

### SPYDER®PULSE™

SPY2030XC	11
SPY2050XC	12
SPY2100XC	13

### SPYDER®PRO

SPY2300XPC	14
SPY2700XPC	15

# ACCESSORIES

## CLEANING TOOLS

18

## SURFACE CLEANERS

19

PWXA089

19

## BRUSHES

20

PWXA075

20

PWXA082

20

## FOAM CANNONS

21

PWXA076

21

PWXA077

21

PWXA107

22

PWXA144

22

## HIGH PRESSURE GUNS

24

PWXA008

24

PWXA103

24

PWXA148

25

## LANCES

26

PWXA012

27

PWXA038

27

PWXA104

28

PWXA149

28

## HOSES

30

PWXA013-B

30

PWXA115-B

30

PWXA155

31

PWXA114-B

31

## ELECTRIC-SPECIFIC NOZZLES

34

PWXA021

35

PWXA022

35

PWXA032

36

PWXA110

36

PWXA111

36

## ADAPTORS & COUPLERS

38

PWXA001

38

PWXA055

38

## DETERGENTS

40

PWXA116

40

PWXA117

40

PWXA118

41



# SPYDER<sup>®</sup>

ELECTRIC PRESSURE WASHERS





# SPYDER<sup>®</sup> MINI<sup>™</sup>

## SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 1500PSI
- Maximum Water Flow: 1.2GPM
- Pro Style Gun with QC Fittings
- ADAPTIVEWASH<sup>®</sup> Spray Wand
- 15' **FLEXWASH<sup>®</sup>** Hose with QC Fittings
- 35' Power-Cord
- Total Stop System (TSS)
- 500 ml High Pressure Foam Cannon
- CSA Approved

## DIMENSIONS

- |                  |       |        |
|------------------|-------|--------|
| • Unit Weight    | 15.95 | Pounds |
| • Unit Length    | 12.5  | Inches |
| • Unit Width     | 11.5  | Inches |
| • Unit Height    | 20.25 | Inches |
| • Package Weight | 17.85 | Pounds |
| • Package Length | 12    | Inches |
| • Package Width  | 11.5  | Inches |
| • Package Height | 18    | Inches |

## SPYM1500VC 1500PSI 1.2GPM



Patent Pending



HIGH PRESSURE  
FOAM CANNON



120V CARBON  
BRUSH MOTOR



360° WHEEL ROTATION FOR  
EASY MANEUVERABILITY

**FLEXWASH<sup>®</sup>**  
15' FLEXWASH<sup>®</sup> HOSE



LOW CENTER OF GRAVITY  
TO AVOID MACHINE TIP OVER

# SPYDER<sup>®</sup> MINI<sup>™</sup>

## SPECIFICATIONS

- Powerplay Universal 120V/60HZ/12A Motor
- Maximum Pressure: 1700PSI
- Maximum Water Flow: 1.2GPM
- Pro Style Gun with QC Fittings
- ADAPTIVEWASH<sup>®</sup> Spray Wand, Turbo Nozzle
- 15' **FLEXWASH<sup>®</sup>** Hose with QC Fittings
- 35' Power-Cord
- Total Stop System (TSS)
- 500 ml High Pressure Foam Cannon
- CSA Approved

## DIMENSIONS

- |                  |       |        |
|------------------|-------|--------|
| • Unit Weight    | 17    | Pounds |
| • Unit Length    | 12.5  | Inches |
| • Unit Width     | 11.5  | Inches |
| • Unit Height    | 20.25 | Inches |
| • Package Weight | 19.15 | Pounds |
| • Package Length | 12    | Inches |
| • Package Width  | 11.5  | Inches |
| • Package Height | 18    | Inches |

## SPYM1700VC 1700PSI 1.2GPM



Patent Pending



HIGH PRESSURE  
FOAM CANNON



120V CARBON  
BRUSH MOTOR



360° WHEEL ROTATION FOR  
EASY MANEUVERABILITY

**FLEXWASH<sup>®</sup>**  
15' FLEXWASH<sup>®</sup> HOSE



LOW CENTER OF GRAVITY  
TO AVOID MACHINE TIP OVER

TURBO NOZZLE



# SPYDER<sup>®</sup> MINI<sup>™</sup>

## SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 1900PSI
- Maximum Water Flow: 1.2GPM
- Pro Style Gun with M22 Fittings
- ADAPTIVEWASH<sup>®</sup> Spray Wand
- 15' **FLEXWASH**<sup>™</sup> Hose with M22 Fittings
- 4 Pro Style Nozzles (0°, 15°, 25°, 40°) & Turbo Nozzle
- 35' Power-Cord
- Total Stop System (TSS)
- 500 ml High Pressure Foam Cannon
- CSA Approved

## DIMENSIONS

- |                  |       |        |
|------------------|-------|--------|
| • Unit Weight    | 19    | Pounds |
| • Unit Length    | 12.5  | Inches |
| • Unit Width     | 11.5  | Inches |
| • Unit Height    | 20.25 | Inches |
| • Package Weight | 19.40 | Pounds |
| • Package Length | 12    | Inches |
| • Package Width  | 11.5  | Inches |
| • Package Height | 18    | Inches |

# SPYM1900VC

## 1900PSI 1.2GPM



Patent Pending



# SPYDER<sup>®</sup> PULSE<sup>™</sup>

## SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 2030PSI
- Maximum Water Flow: 1.5GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°, 15°, 25°, 40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 15' **FLEXWASH<sup>PRO</sup>** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

## DIMENSIONS

- |                  |       |        |
|------------------|-------|--------|
| • Unit Weight    | 19.8  | Pounds |
| • Unit Length    | 13.5  | Inches |
| • Unit Width     | 13    | Inches |
| • Unit Height    | 19.25 | Inches |
| • Package Weight | 24.40 | Pounds |
| • Package Length | 12.25 | Inches |
| • Package Width  | 11.25 | Inches |
| • Package Height | 19.75 | Inches |

# SPY2030XC

## 2030PSI 1.5GPM





# SPYDER PULSE™

## SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 2050PSI
- Maximum Water Flow: 1.5GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH PRO** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

## DIMENSIONS

- |                  |       |        |
|------------------|-------|--------|
| • Unit Weight    | 19.8  | Pounds |
| • Unit Length    | 13.5  | Inches |
| • Unit Width     | 13    | Inches |
| • Unit Height    | 19.25 | Inches |
| • Package Weight | 24.40 | Pounds |
| • Package Length | 12.25 | Inches |
| • Package Width  | 11.25 | Inches |
| • Package Height | 19.75 | Inches |

## SPY2050XC 2050PSI 1.5GPM



# SPYDER PULSE™

## SPECIFICATIONS

- Powerplay Universal 120V/60HZ/13A Motor
- Maximum Pressure: 2100PSI
- Maximum Water Flow: 1.5GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH PRO** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

## DIMENSIONS

- |                  |       |        |
|------------------|-------|--------|
| • Unit Weight    | 21.6  | Pounds |
| • Unit Length    | 13.5  | Inches |
| • Unit Width     | 13    | Inches |
| • Unit Height    | 19.25 | Inches |
| • Package Weight | 25.85 | Pounds |
| • Package Length | 12.25 | Inches |
| • Package Width  | 11.25 | Inches |
| • Package Height | 19.75 | Inches |

## SPY2100XC 2100PSI 1.5GPM





# SPYDER<sup>®</sup>PRO<sup>™</sup>

## SPECIFICATIONS

- Powerplay Induction Motor
- Maximum Pressure: 2300PSI
- Maximum Water Flow: 1.4GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH<sup>®</sup>PRO** Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

## DIMENSIONS

• Unit Weight	40.08	Pounds
• Unit Length	17	Inches
• Unit Width	16.2	Inches
• Unit Height	22.25	Inches
• Package Weight	46.35	Pounds
• Package Length	15.5	Inches
• Package Width	15	Inches
• Package Height	19.75	Inches

## SPY2300XPC 2300PSI 1.4GPM



Patent Pending



# SPYDER<sup>®</sup>PRO<sup>™</sup>

## SPECIFICATIONS

- Powerplay Induction Motor
- Maximum Pressure: 2700PSI
- Maximum Water Flow: 1.3GPM
- Push Start Button
- Steel Lance with 4 Pro Style Nozzles (0°,15°,25°,40°) & Turbo Nozzle
- Pro Style Gun with M22 Fitting
- 25' **FLEXWASH<sup>®</sup>PRO** Steel Braided Hose with M22 Fittings
- 35' Power-Cord
- 1000 ml High Pressure Foam Cannon
- Total Stop System (TSS)
- CSA Approved

## DIMENSIONS

• Unit Weight	41.88	Pounds
• Unit Length	17	Inches
• Unit Width	16.2	Inches
• Unit Height	22.25	Inches
• Package Weight	48	Pounds
• Package Length	15.5	Inches
• Package Width	15	Inches
• Package Height	19.75	Inches

## SPY2700XPC 2700PSI 1.3GPM



Patent Pending







**ACCESSORIES**



# CLEANING TOOLS

	PATIO & GARAGE FLOOR	FENCE & SIDING	PAINT PREPARATION	LIGHT VEHICLE WASH	HEAVY VEHICLE WASH
11-INCH SURFACE CLEANER (PWXA089)	•	•	•		
SOFT BRISTLE FIXED BRUSH (PWXA075)	•	•	•	•	•
GEAR DRIVEN ROTARY BRUSH (PWXA082)		•	•	•	•
250Z FOAM CANNON BOTTLE WITH BAYONET FITTING (PWXA076)	•	•	•	•	•
250Z FOAM CANNON BOTTLE WITH QC FITTING (PWXA077)	•	•	•	•	•
SPRAYGLIDE® PROSUPPORT™ (PWXA087)	•		•		
340Z BOTTLE WITH QC FITTING (PWXA144)	•	•	•	•	•

# SURFACE CLEANERS

Powerplay Surface Cleaners clean flat surfaces quickly, easily, and evenly. Prevents cleaning stripes and increases your cleaning time by up to 50% over a regular lance and nozzle.

## 11-INCH SURFACE CLEANER

### SPECIFICATIONS

- Max Pressure: 2100 PSI
- Max Flow: 2.5 GPM
- 11-inch diameter with 2 rotary jets
- Quick connect fitting

### DIMENSIONS

- Unit Weight (Pounds) 2
- Product Size (L/W/H) (Inches) 15 x 11 x 12

## PWXA089

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY





# BRUSHES

## SOFT BRISTLE FIXED BRUSH

Fixed Utility Brush is the perfect accessory for hard to reach cleaning areas. Feathered bristles provide a gentle scrubbing action that is safe for any surface, and it can be used with low pressure soap applications. Great for cleaning, patio furniture, tires and more. Attaches easily to your lance with a click fast coupler.

### SPECIFICATIONS

- Feathered bristles
- Used with low pressure soap applications
- Attaches easily to your lance with a click fast coupler
- Male bayonet/M22 x 14mm Inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.7 lbs
- Product Size (L/W/H) (Inches) 18 x 3.14 x 2.78



PWXA075

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY

## GEAR DRIVEN ROTARY BRUSH

Rotary Wash Brush provides effortless cleaning of all smooth surfaces (varnish, glass, plastic, metal). It uses gentle-action rotating bristles. Working at low pressure it can be used to apply cleaning detergent.

### SPECIFICATIONS

- Rotary brush saves 60-80% more time than a standard wand alone
- Water stream powers the rotary action
- Improved cleaning performance lifts dirt & grime
- M22 x 14mm Inlet

### DIMENSIONS

- Unit Weight (Pounds) 1.15 lbs
- Product Size (L/W/H) (Inches) 18 x 5.50 x 4



PWXA082

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY

# FOAM CANNONS

Cover your vehicle in a blizzard of foam quickly with the Powerplay Foam Cannon! This foam lance works with Powerplay pressure washers to produce a thick, clinging foam. Give your vehicle a “touch-free” wash with this high powered foam cannon.

## 500 ML (17 OZ.) BOTTLE WITH BAYONET FITTING

### SPECIFICATIONS

- 500 ml. (17 oz.) bottle with adjustable pressure
- Max Pressure: 3000 PSI
- Max Flow: 2.2 GPM
- Bayonet adaptor
- High pressure foam cannon for SPY1800 Series

### DIMENSIONS



PWXA076

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY

## 500 ML (17 OZ.) BOTTLE WITH M22 ADAPTOR

### SPECIFICATIONS

- 500 ml. (17 oz.) bottle with adjustable pressure
- Max Pressure: 3000 PSI
- Max Flow: 2.2 GPM
- M22 adaptor

### DIMENSIONS

- Unit Weight (Pounds) 0.55 lbs
- Product Size (L/W/H) (Inches) 7.65 x 3.25 x 6.59



PWXA077

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY



# FOAM CANNONS

Cover your vehicle in a blizzard of foam quickly with the Powerplay Foam Cannon! This foam lance works with Powerplay pressure washers to produce a thick, clinging foam. Give your vehicle a “touch-free” wash with this high powered foam cannon.

## 500 ML (17 OZ.) BOTTLE WITH QC FITTING

PWXA107

### SPECIFICATIONS

High pressure foam cannon with QC fitting  
500 ml. (17 oz.) bottle with adjustable pressure  
Max Pressure: 3000 PSI  
Max Flow: 2.2 GPM  
Quick connect fitting

### DIMENSIONS

- Unit Weight (Pounds) 0.40 lbs
- Product Size (L/W/H) (Inches) 5.25 x 3.25 x 6.59



COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY

## 1L (34OZ.) BOTTLE WITH QC FITTING

PWXA144

### SPECIFICATIONS

1L (34 oz.) bottle with adjustable pressure  
Max Pressure: 3000 PSI  
Max Flow: 2.2 GPM  
Quick connect fitting

### DIMENSIONS

- Product Size (L/W/H) (Inches) 7.75 x 3.5 x 7.75



COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY





# HIGH PRESSURE GUNS

Powerplay trigger guns with 12-inch solid molded extensions. These spray guns with extensions feature a simple screw connection for attaching a lance or lance with nozzle.

## TRIGGER GUN WITH M22 FITTING

### SPECIFICATIONS

Max Pressure: 3300 PSI  
Max Flow: 8.0 GPM  
Max Temperature: 140° F  
Inlet: 22mm x 15mm Male twist connect  
Outlet: 22mm x 14mm Female twist connect

### DIMENSIONS

- Unit Weight (Pounds) 0.95 lbs
- Product Size (L/W/H) (Inches) 18 x 1.8 x 6.25



PWXA008

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY

## TRIGGER GUN WITH QC FITTING

### SPECIFICATIONS

Max Pressure: 2320 PSI  
Max Flow: 8.0 GPM  
Max Temperature: 140° F  
Inlet: Spyder QC Connection  
Outlet: Spyder Bayonet Connection

### DIMENSIONS

- Unit Weight (Pounds) 2.1 lbs
- Product Size (L/W/H) (Inches) 21 x 1.62 x 8



PWXA103

COMPATIBLE WITH  
MINI 1700 AND 1500

# HIGH PRESSURE GUNS

Powerplay trigger guns with 12-inch solid molded extensions. These spray guns with extensions feature a simple screw connection for attaching a lance or lance with nozzle.

## TRIGGER GUN WITH M22 FITTING

### SPECIFICATIONS

Max Pressure: 3300 PSI  
Max Flow: 8.0 GPM  
Max Temp: 140° F  
Inlet: 22mm x 15mm Male twist connect  
Outlet: Spyder Female Bayonet Fitting

### DIMENSIONS

- Unit Weight (Pounds) 1.25 lbs
- Product Size (L/W/H) (Inches) 20.5 x 1.75 x 7.5



PWXA148

COMPATIBLE WITH MINI 1900





# LANCES

## 18-INCH ZINC PLATED LANCE WITH QC FITTINGS

Steel Lance for all Electric Pressure Washers with M22 x 14mm and 1/4-inch Female QC.

### SPECIFICATIONS

- Max Pressure: 2610 PSI
- Max Flow: 10.5 GPM
- Max Temperature: 302° F
- Inlet: 22mm x 14mm
- Outlet: 1/4-inch Female QC

### DIMENSIONS

- Unit Weight (Pounds) 0.6 lbs
- Product Size (L/W/H) (Inches) 18 x 1.3 x 1.3



## PWXA012

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY

## 12-INCH GUTTER CLEANER LANCE EXTENSION

12-inch Gutter Cleaner, Designed for easy access to clean gutters without having to climb up onto the roof.

### SPECIFICATIONS

- 1/4-inch QC plug inlet
- Outlet: 1/4-inch Female QC
- Fits any lance with 1/4-inch QC Fitting

### DIMENSIONS

- Unit Weight (Pounds) 0.5 lbs
- Product Size (L/W/H) (Inches) 7.5 x 0.89 x 7.5



## PWXA038

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS



# LANCES

## LANCE

### SPECIFICATIONS

Max Pressure: 2350 PSI  
Max Flow: 2 GPM  
Inlet: Spyder Male bayonet Inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.5 lbs
- Product Size (L/W/H) (Inches) 18.5 x 1.75 x 1.75



### PWXA104

COMPATIBLE WITH SPYM170C

# LANCES

## LANCE

### SPECIFICATIONS

Max Pressure: 2350 PSI  
Max Flow: 2 GPM  
Male bayonet/M22 x 14mm Inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.5 lbs
- Product Size (L/W/H) (Inches) 18.5 x 1.75 x 1.75



### PWXA112

COMPATIBLE WITH SPYM1700V

## LANCE

### SPECIFICATIONS

Max Pressure: 2350 PSI  
Max Flow: 2 GPM  
Male bayonet/M22 x 14mm Inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.5 lbs
- Product Size (L/W/H) (Inches) 18.5 x 1.75 x 1.75



### PWXA149

COMPATIBLE WITH SPYM1900V



# HIGH PRESSURE HOSES

Powerplay Flexwash® hose is composed of innovative compounds to reduce coiling and enhance the overall cleaning experience. Once the hose is pressurized, it remains flat on the ground improving manoeuvrability.

## 15-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

### SPECIFICATIONS

- Max Temperature: 104° F
- Max Pressure: 2610 PSI
- Nylon braided hose with non marking clear jacket
- Terminated with Female M22 x 15mm EZ screw on connectors

### DIMENSIONS

- Unit Weight (Pounds)
  - Product Size (L/W/H) (Inches)
- 1.35 lbs  
180 x 1.25 x 1.25

### PWXA013-B

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY



## 25-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

### SPECIFICATIONS

- Max Temperature: 104° F
- Max Pressure: 2610 PSI
- Nylon braided hose with non marking black jacket
- Terminated with Female M22 x 15mm EZ screw on connectors

### DIMENSIONS

- Unit Weight (Pounds)
  - Product Size (L/W/H) (Inches)
- 1.95 lbs  
300 x 1.25 x 1.25

### PWXA115-B

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY



# HIGH PRESSURE HOSES

Powerplay Flexwash® hose is composed of innovative compounds to reduce coiling and enhance the overall cleaning experience. Once the hose is pressurized, it remains flat on the ground improving manoeuvrability.

## 25-FOOT FLEXWASH®PRO HOSE WITH M22 FITTING

### SPECIFICATIONS

- Max Temperature: 140° F
- Max Pressure: 2610 PSI
- Steel Braided Hose with non marking Taped Jacket
- Terminated with Female M22 x 15mm EZ screw on connectors

### DIMENSIONS

- Unit Weight (Pounds)
  - Product Size (L/W/H) (Inches)
- 3.40 lbs  
300 x 1.25 x 1.25

### PWXA155

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY



## 25-FOOT FLEXWASH®PRO HOSE WITH QC FITTING

### SPECIFICATIONS

- Max Temperature: 140° F
- Max Pressure: 2610 PSI
- Nylon braided hose with non-marking black jacket
- M22 x 15 mm screw on one end, Spyder QC male fitting on other end

### DIMENSIONS


- Unit Weight (Pounds)
  - Product Size (L/W/H) (Inches)
- 1.95 lbs  
300 x 1.25 x 1.25

### PWXA114-B

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY









# ELECTRIC-SPECIFIC NOZZLES

High pressure spray nozzles are rated up to 2500 PSI and have a 1/4-inch connector size to suit your needs. With a wide range of performance from 0°, 15°, 25°, 40° + Soap delivering 2.0 GPM, Powerplay Spray tips will deliver the performance you are looking for.

## THE BEST NOZZLE TO USE FOR YOUR CLEANING APPLICATIONS

	PATIO & GARAGE FLOOR	FENCE & SIDING	PAINT PREPARATION	LIGHT VEHICLE WASH	HEAVY VEHICLE WASH
0 DEGREE RED HIGH PRESSURE SPRAY NOZZLE	.	.	.		
15 DEGREE YELLOW HIGH PRESSURE SPRAY NOZZLE	.	.	.		.
25 DEGREE GREEN HIGH PRESSURE SPRAY NOZZLE	.	.	.	.	.
40 DEGREE WHITE HIGH PRESSURE SPRAY NOZZLE	.	.	.	.	.
LOW PRESSURE BLACK SOAP NOZZLE	.	.	.	.	.
HIGH PRESSURE TURBO NOZZLE SIZE 2.0 (PWXA032)	.	.			.
HIGH PRESSURE TURBO NOZZLE SIZE 3.3 (PWXA025)	.	.	.		.
HIGH PRESSURE TURBO NOZZLE SIZE 4.0 (PWXA026)	.	.	.		.

# ELECTRIC-SPECIFIC NOZZLES

## HIGH PRESSURE 4 PACK SPRAY NOZZLE KIT

PWXA021

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY

### SPECIFICATIONS

Max Pressure: 2500 PSI  
Max Flow: 2.0 GPM  
1/4-inch QC plug inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.2 lbs
- Product Size (L/W/H) (Inches) 1.18 x 1.14 x 1.18



## HIGH PRESSURE 4 PACK SPRAY NOZZLE KIT

PWXA022

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY

### SPECIFICATIONS

Max Pressure: 2500 PSI  
Max Flow: 2.0 GPM  
1/4-inch QC plug inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.2 lbs
- Product Size (L/W/H) (Inches) 1.18 x 1.14 x 1.18





# ELECTRIC-SPECIFIC NOZZLES

Light weight, long lasting Turbo Nozzles. Completely new design engineered for long life and excellent performance. Rated with maximum pressure of 2100 PSI, it features a solid ceramic rotor in the heart of the turbo body and will handle water temperatures up to 194° F. Offers 0° impact with a 25° pattern with nozzle size #4.0, solid ceramic rotor, durable rubber housing and brass body.

## HIGH PRESSURE TURBO NOZZLE SIZE 2.0

### SPECIFICATIONS

- Max Pressure: 2100 PSI
- Max Flow: 2.0 GPM
- Max Temperature: 194° F
- 1/4-inch QC plug inlet

### DIMENSIONS

- Unit Weight (Pounds) 0.30 lbs
- Product Size (L/W/H) (Inches) 1.42 x 1.42 x 4.14



PWXA032

COMPATIBLE WITH ELECTRIC PRESSURE WASHERS ONLY

## ADAPTIVEWASH™ SPRAY NOZZLE

### SPECIFICATIONS

- Max Pressure: 2100 PSI
- Max Flow: 2.0 GPM
- Max Temperature: 194° F
- Compatible with PWXA112 Lance Only

### DIMENSIONS

- Unit Weight (Pounds) 0.30 lbs
- Product Size (L/W/H) (Inches) 1.42 x 1.42 x 4.14



PWXA110

COMPATIBLE WITH SPYM1700 SERIES ELECTRIC PRESSURE WASHERS

## MINI SERIES TURBO NOZZLE

### SPECIFICATIONS

- Max Pressure: 2100 PSI
- Max Flow: 2.0 GPM
- Max Temperature: 194° F
- Compatible with PWXA112 Lance Only

### DIMENSIONS

- Unit Weight (Pounds) 0.30 lbs
- Product Size (L/W/H) (Inches) 1.42 x 1.42 x 4.14



PWXA111

COMPATIBLE WITH SPYM1700 SERIES ELECTRIC PRESSURE WASHERS





# ADAPTORS & COUPLERS

Powerplay Quick Couplers are designed for connections of frequently changed or moved fittings.

## 1/4-INCH QUICK COUPLING PLUG

### SPECIFICATIONS

- One end connects into 1/4-inch QC
- One end screws into 1/4-inch NPT male fitting
- Corrosion resistant material designed to last
- Max Pressure: 4000 PSI
- Max Temperature: 300° F

### DIMENSIONS

- Unit Weight (Pounds) 0.05 lbs
- Product Size (L/W/H) (Inches) 0.56 x 0.56 x 1.57



## PWXA001

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS

## M22 X 15 TO M22 X 15 HOSE CONNECTOR

Powerplay M22 x 15mm Hose Connector.

### SPECIFICATIONS

- Used to Add an extension hose to Electric pressure washers using M22 Pump and Gun Connections
- 22mm x 15mm Male twist connect Both Ends
- Max Temperature: 300° F

### DIMENSIONS

- Unit Weight (Pounds) 0.10
- Product Size (L/W/H) (Inches) 0.98 x 0.98 x 1.38



## PWXA055

COMPATIBLE WITH ELECTRIC  
PRESSURE WASHERS ONLY





# DETERGENTS

Powerplay's VEHICLE WASH and MULTI PURPOSE CONCENTRATE is formulated for use through pressure washers and hand washing.

## VEHICLE WASH DETERGENT

### SPECIFICATIONS

1 Gallon bottle with screw on cap  
Place detergent suction tube directly into container of VEHICLE WASH or fill the pressure washer's soap tank

### DIMENSIONS

- Unit Weight (Pounds) 9.55 lbs
- Product Size (L/W/H) (Inches) 6 x 6 x 12.25



## PWXA116

COMPATIBLE WITH ALL PRESSURE WASHERS

# DETERGENTS

## HEAVY DUTY SNOW FOAM DETERGENT

Powerplay HEAVY DUTY SNOW FOAM is formulated for foam cannons.

### SPECIFICATIONS

1 Gallon bottle with screw on cap  
Pour HEAVY DUTY SNOW FOAM into foam cannon

### DIMENSIONS

- Unit Weight (Pounds) 9.55 lbs
- Product Size (L/W/H) (Inches) 6 x 6 x 12.25



## PWXA118

COMPATIBLE WITH ALL PRESSURE WASHERS

## MULTI PURPOSE CONCENTRATE

### SPECIFICATIONS

1 Gallon bottle with screw on cap  
Place detergent suction tube directly into container of VEHICLE WASH or fill the pressure washer's soap tank

### DIMENSIONS

- Unit Weight (Pounds) 9.55 lbs
- Product Size (L/W/H) (Inches) 6 x 6 x 12.25



## PWXA117

COMPATIBLE WITH ALL PRESSURE WASHERS





[WWW.POWERPLAYPRO.COM](http://WWW.POWERPLAYPRO.COM)